

Aluminosilicate 铝硅酸盐
Associated defect 缩合缺陷
Average amplitude 平均振幅
Activation energy 活化能
Absolute temperature 绝对温度
Advanced ceramic electrical insulator materials suitable for more exotic applications 适用于更多
(奇异) 应用的先进陶瓷绝缘体材料
A positive temperature coefficient of resistance 正的温度电阻系数
A beam of light oscillate perpendicular to the direction of propagation of the beam 一束光在垂直
于光束传播方向上振动
A central core of glass with low index of refraction surrounded by a cladding of high index glass 一
个低折射率玻璃的核心被一个高折射率的玻璃的覆层包围着
A soda-lime-silicate glass 钠钙硅玻璃
Annealed glass 退火玻璃
A mixture of Periclase-graphite and metallic antioxidant 方镁石石墨与金属氧化物的混合体
As a rapid hardening additive to Portland cement and plaster, not as a refractory cement by itself
作为波特兰水泥和灰浆的快硬添加剂而不是所需要的水泥
A carefully graded range of aggregates the required amount of cement and additives to improve
workability flow and setting behavior 严格筛分的骨料所需水泥量和添加剂为了提高成型性和
流动性和同化性
A pronounced effect on the expansion behavior 对膨胀行为显著影响
A strong dependency of slow crack growth rate with amorphous content of various brick 缓慢的裂
纹生长速率对不定性硅含量的强烈依赖性
A definite chemical composition 确定的化学组成
Be Proportional to 正比于
Ball-Milling powders and hot uniaxial pressing 球磨粉体和热单轴压制
Bisque firing and glostfiring 素烧和釉烧
Barium titanate ceramic capacitor 钛酸钡陶瓷电容器
Basaltic layer 玄武岩质层
Basal cleavage 底面解理
Blue Color Diamonds 蓝色彩钻
Cohesive force 内聚力
Covalent bond 共价键
Conductivity 电导
Coordination number 配位数
Chemical formula 化学式
Charged interstitial site 带电荷的间隙位置
Chemical equation 化学方程式
coprecipitation and supersaturation 先沉淀和过饱和
coefficient of thermal expansion of the glaze 釉的热膨胀系数
crack pit and flaw 破裂, 凹坑和裂纹
change the optical characteristics of the material with an applied electric field 根据施加的电场
改
变材料的光学特性

Crystal ‘optically isotropy 晶体的光学上的各向同性
Calcium aluminate glasses 钙铝酸盐玻璃
cathode ray tube 阴极射线管
Cement slurry 水泥浆
Clinker 熟料
Compressive strength 抗压强度
Concrete 混凝土
Cementitious properties 水泥质性质
Cement paste 水泥浆
CapillaryPore 毛细孔
Cerrentingability 胶凝能力
Carbonate containing 含碳酸盐的
Cement-aggregate interface 水泥与骨料的界面
Clay-derived aluminosilicate refractories 粘土类硅铝酸盐耐火材料
Careful control of grain size and bond-matrix components 颗粒尺寸和结合相基体组成的严格控制
Conchoidal fracture 贝壳状断口
Cleavage face 解理面
Comparable hardness 相对硬度
Color change 变色效应
Derivative structure 衍生结构
Defect chemistry 缺陷化学
Distribution of Particle size 颗粒尺寸分布
Dielectric strength 介电强度
Dielectric loss 介电损耗
Destructive expansion 破坏性膨胀
Durability 耐久性
Electron configuration 电子构型(排布)
Effective neutral charge 有效中性电荷
Energy barrier 能垒
Equilibrium position 平衡位置
Evolution of heat 放热
Energy fluctuation 能量起伏
Equilibrium condition 平衡条件
Equivalent interstitial position 相邻间隙位
Effects of texture and constitution on the reversible thermal expansion 结构和组成对耐火粘土可逆热膨胀的影响
Eclogitic 榴辉岩
fireclay products 耐火粘土产品
frame work 骨架
First approximation 一极近似
Frit and coloring oxide 熔块和着色氧化物
Finely ground abrasive 细磨的磨料
Fast ion conductors and solid electrolytes 快离子导体和固体电解质

Fining agent 澄清剂

Glassy and the crystalline grain boundary phases 玻璃和晶体的晶界相
gypsum 石膏

Granitic layer 花岗质层

Grain distribution 粒度分布

hybridization of the atomic orbitals 原子轨道杂化

Halide salts of alkali metal 碱金属卤化物

Hexagonal close-packed structure 六方紧密堆积结构

Host lattice 主晶格

High diffusivity path 高扩散率通道

Hydration kinetics 水化动力学

High oriented layers 高取向层

Hardening At room temperature or above room temperature but below the sintering temperature
在室温或高于室温但低于烧结温度下的硬化

Hackly fracture 参差状断口

isotropic 均质的，各项同性的

Interstitial mechanism with displacement 取代的填隙机理

Interstitial diffusion 间隙扩散

Index of Refractive and dispersion Refractive index 折射率和色散

Intermediate 中间体

Infrared transmissions 红外透射

Incomplete coordination 不完整的配位

Inert addition 惰性添加剂

Interfacial transition zone 界面过渡区

Indexes of Refractories performance 耐火材料性能指标

Inorganic substance 无机物

Layered structure 层状结构

Low temperature modification 低温变体

low absorption glasses free from Inclusions 无夹杂物的低吸收玻璃

Liquidus temperature 液相温度

liquid crystal display panel 液晶显示板

Lining of oil wells 油井内壁

Lamellar twinning planes 薄片状的孪晶面

Momentum 动量

Microscopic of phase 相的显微分析

Mutual solution 互溶体

Moist curing 湿气养护

Mixture that contain aggregate and binders 含有骨料和粘合剂的混合物

measured values of coefficient of the thermal conductivity 热传导系数的测量值

Monitor the growth of a controlled single crack 监控一个可监控的裂纹的生长

Mechanical behavior 机械性能

Network-modifier 网络调整体

Natural bonding or the silicate or aluminosilicate bonds derived from vitrification reaction 自然
键合成由玻璃反应得到的硅酸盐或铝酸盐结合剂

Olivine minerals 橄榄石矿物
Octahedral hole 八面体空穴
Optical Properties 光学性质
Purification procedures 净化工艺
ParticleRearrangement and agglomeration 颗粒的重排和团聚
Primary phase 初晶相
Phase diagram 相图
Periclase crystal containing fire intragranular iron oxide precipitates on firing 在煅烧时含有细小
颗粒晶氧化铁沉淀的方镁石晶体
Pulverized fuel ash 粉煤灰
Play a major role in the thermal shock behavior 在热冲击性能中起主要作用
Peridotite diamond 橄榄岩型金刚石
quantum mechanics 量子力学
Ring mechanism 环形机理
Repulsive force 排斥力
relaxation of internal stresses 内应力的弛豫
Reducing condition 还原条件
Rapid hardening cement 快硬水泥
Rapid quenching 快速淬冷
RatardHydration 阻缓水化
Reduction of cement content without lose strength 降低水泥用流量而不失去强度
Residual stones 位石
Solid solution 固溶体
share SiO₄ tetrahedra with one corner 角联结的硅氧四面体
Subatomic particle 亚原子粒子
Spray drying and calcination 喷雾干燥和煅烧
Shrinkage and densification 收缩和致密化
Smooth substrates for thick film and thin film deposition of circuitry 用于厚膜和薄膜电路沉积
的光滑基片
Softening range 软化范围
specific surface area 比表面积
Specific heat 比热
thermal expansionCoefficient 热膨胀系数
Standard Specification 标准规范
Sulfate resisting 抗硫酸盐的
Surface pozzolanic reaction 表面凝硬性反应
Silica fume 硅灰
Specific gravity 相对密度
Salt cake 芒硝
Segregation 分离
Three-dimensional models 三维模型
Tetrahedral coordinations 四面体配为体
Thermalactived jump 热活性跃迁
The annealing and sintering temperature 退火和烧伤温度

The driving force for mass transport by solid state process for Ceramic powder 陶瓷粉末通过固态过程传质的驱动力

to prevent warping or slumping during firing 在烧制的过程中防止变形或弯曲

the milled glaze slip be applied to the ceramic by spraying dipping and printing 以喷雾浸泡和印刷的途径将研磨釉浆施加到陶瓷上

the maturing temperature of the body 环体的化温度

The conductivity of ionic conductors increase with an increase in temperature 离子导体的导电率随温度上升而增加

The material placed between the plates of a capacitor to serve as the charge storage medium 放置于电容器两片之间充当电荷存储介质的材料

Tiny chip capacitors with ceramic-metal sandwich structure 具有陶瓷金属三明治结构的微小片状电容器

The Electro-optic effect and the magneto-optical effect 电光效应和磁光效应

Transparency translucency opacity 透明半透明不透明

Transmission of the light beams 光束的传播

To eliminate light scattering pores and inclusions 消除散射光的孔和夹杂物

The constitution of glass 玻璃的组成

Thermal energy 热能量

The rate of cooling 冷却速率

Transparent crystallite Glass 透明微晶玻璃

Thermodynamically metastable 热力学上亚稳定的

Tar bonded burned dolime 焦油粘结的煅烧白云石

thermal conductivity work of fracture nonwetting behavior and slag resistance 导热性断裂功
不润湿性和抗渣性

The less carcinogenic nature of the fume 's produced on decomposition 分解时产生的烟具
有较少的致癌性

The Importance of bond phase in the refractories 耐火材料中结合相的重要性

The binders used to form the bonding phase 用于形成结合项的粘合剂

The complexity of refractory chemical and texture 耐火材料的化学与结构的复杂性

The loose texture of these bricks and the presence of numerous cracks 这些砖松散的结构与大量裂纹的存在

The Electromagnetic Wave Theory 电磁波理论

The Electromagnetic spectrum 电磁波谱

The Cubic orisometric system 立方或等轴晶体系

Unfired pitch and tar bonded magnesia containing addition of graphite 含有石墨添加的未煅烧的含有沥青与焦油粘结

Under crossed polar in a reflected light microscope 在反射光显微镜中在交叉极化光下

Vacancy pair 空位对

Vulnerability to frost damage 易受霜冻破坏的

Vacancy mechanism 空位机理

Van der Waals forces and aggregation of fine powder 范德华力和细小粉体的团聚

Varistors and thermistors 压敏电阻和热敏电阻

vitreous 玻璃态的

Water Softeners 水软化剂

Waterto cement radio 水灰电

X-ray diffractionX 射线衍射